



Epicore BioNetworks Inc.

EPILITE[®] **Liquid Hatchery Feeds**

PRODUCT DESCRIPTION

EPILITE is a unique range of liquid larval hatchery feeds that provide superior hatchery nutrition and cause fewer pollution problems than traditional dry feeds.

BENEFITS TO AQUACULTURE

- Enhanced nutritional value, attractiveness and digestibility.
- Reduces *Artemia* requirements by more than 50% and completely replaces dry diet
- Increases larval survival by 5-10%.
- Produces superior quality and stress resistant PL.
- Reduced algal requirements with EPILITE-Z use in early zoeal stage.
- Can enrich *Artemia* with EPILITE-Z.
- Easy to use liquids.
- Cleaner tank bottoms and reduced need for water exchange, less wasted feed.
- Major cost benefits compared to competitive diets.

MODE OF ACTION

EPILITE feeds are composed of the finest quality, highly palatable and easily digestible ingredients that are constantly available to larvae, promoting consumption and assimilation of the nutrients and hence optimum larval growth and survival. The unique emulsion form of these products provides neutrally buoyant particles that remain suspended in the water column.

INGREDIENTS

EPILITE feeds are comprised of marine protein, plant protein, olefinic lipids (HUFA), phospholipids, complex carbohydrates, soluble sugars, B complex and C vitamins, fat soluble vitamin complex, broad spectrum micro-nutrient and attractant.

PRODUCT DATA

| Parameter | Epilite-Z | Epilite-M | Epilite-PL |
|------------------------------|-----------|-----------|------------|
| Form | Liquid | Liquid | Liquid |
| Specific Gravity | 1.08 | 1.08 | 1.07 |
| pH | 4.5 | 4.9 | 4.9 |
| Solids Content (% by wt) | 31 | 32 | 33 |
| Avg. Particle Size (microns) | 30 | 85 | 245 |

PRODUCT DATA

| Parameter | Ep-Z | Ep-M | Ep-PL | Parameter | Ep-Z | Ep-M | Ep-PL |
|------------------|------|------|-------|-----------------------|------|------|-------|
| Protein (%) | 7 | 7 | 10 | Moisture (%) | 69 | 68 | 67 |
| Lipid (%) | 8 | 8 | 9 | Protein (% dry basis) | 23 | 21 | 33 |
| Carbohydrate (%) | 9 | 11 | 10 | PUFA (%) | 3 | 3 | 3 |
| Fiber (%) | 2 | 2 | 2 | HUFA (%) | 2 | 2 | 2 |
| Ash (%) | 3 | 3 | 3 | Energy (J/gm) | 6 | 6 | 7 |

Epicore BioNetworks Inc.

American Operations:

Epicore BioNetworks Inc.
4 Lina Lane
Eastampton, New Jersey, 08060
USA
Telephone: (609) 267-9118
Fax: (609) 267-9336
information@EpicoreBioNetworks.com
www.EpicoreBioNetworks.com

Latin American Operations:

Epicore Ecuador S.A.
Km 11 vía a la Costa
Guayaquil – Ecuador
Phone: (593-4)-299-0663 / 0859
lorena.vanoni@EpicoreBioNetworks.com

La Libertad Office:

Epicore Ecuador S.A.
Calle Diez y Avenida Quinta Barrio 10 de
Agosto, Diagonal al Colegio Celleri
La Libertad - Ecuador
Phone: (593-4)-278-5106
lorena.vanoni@EpicoreBioNetworks.com

IMPORTANT NOTICE TO PURCHASER

"Epicore BioNetworks, Inc. ("Epicore") warrants that the product conforms to its compositional description and is reasonably fit for the purpose stated on the label when used in accordance with the label instructions under normal conditions of use. There are no other express or implied warranties, whether as to merchantability, fitness for any use, or otherwise, given in respect of the product. Neither Epicore nor its agents shall be liable for any damage, loss, or injury, whether the same arises directly or consequentially, by reason of any matter whatsoever relating to the use of the product, and any buyer's or user's exclusive remedy in any instance shall be limited to a refund of the purchase price paid."

EPILITE is a registered trademark of
Epicore BioNetworks Inc.

10/15 ©2015 Epicore BioNetworks Inc.

FEEDING TABLE (*Penaeus vannamei*)

Assumes 6x15 oz 90%-hatch Artemia used per million PL produced per cycle)

| Day of Culture | Stage | # Feeds Per Day | Feed (gm/day/KK animals) | | |
|----------------|-------------|-----------------|--------------------------|------|-------|
| | | | Ep-Z | Ep-M | Ep-PL |
| 1 | Nauplii 4-6 | - | - | - | - |
| 2 | Zoea 1 | 3-6 | 20 | - | - |
| 3 | Z1/Z2 | 3-6 | 28 | - | - |
| 4 | Zoea 2 | 3-6 | 34 | - | - |
| 5 | Zoea 3 | 3-6 | 40 | - | - |
| 6 | Z3/M1 | 3-6 | 46 | - | - |
| 7 | Mysis 1 | 3-6 | 56 | - | - |
| 8 | Mysis 2 | 3-6 | - | 70 | - |
| 9 | Mysis 3 | 3-6 | - | 90 | - |
| 10 | PL1 | 3-6 | - | 120 | - |
| 11 | PL2 | 3-6 | - | 150 | - |
| 12 | PL3 | 6-12 | - | 180 | - |
| 13 | PL4 | 6-12 | - | - | 220 |
| 14 | PL5 | 6-12 | - | - | 240 |
| 15 | PL6 | 6-12 | - | - | 256 |
| 16 | PL7 | 6-12 | - | - | 280 |
| 17 | PL8 | 6-12 | - | - | 306 |
| 18 | PL9 | 6-12 | - | - | 324 |
| 19 | PL10 | 6-12 | - | - | 340 |
| 20 | PL11 | 6-12 | - | - | 358 |
| 21 | PL12 | 6-12 | - | - | 374 |
| Total/cycle | | | 224 | 610 | 2,698 |

TREATMENT SUGGESTIONS

- Measure required amount of EPILITE into several liters of hatchery water; shake vigorously for 30 seconds; then apply
- Avoid over and under feeding by frequently observing larval health, quality and feeding rate to adjust feed quantity.
- Increase feed quantity for at water temperatures above 28°C.
- Adjust rate for Artemia used and animals present.
- 1.5 kg EPILITE replaces 1.0 kg *Artemia*.

PRODUCT PURITY

Epicore can certify that EPILITE feeds do not contain any: fungus, Salmonella, Shingella, shrimp byproducts, antibiotic residues or YHV, WSSV or TSV virus.

PRODUCT STORAGE

- Do not store continuously at temperatures above 40°C.
- Do not freeze.
- Store out of direct sunlight in a well ventilated area.
- Once opened use package within one month.

SHELF LIFE: two years if stored as recommended.

PACKAGING

Supplied in cases of 10 one-liter plastic bottles. . Net contents approx. 1 kg.